

MAS114: Lecture 2

James Cranch

<http://cranch.staff.shef.ac.uk/mas114/>

2018–2019

Announcement 1: website

Announcement 1: website

Have you found the course website yet ?

`http://cranch.staff.shef.ac.uk/mas114/`

It has

Announcement 1: website

Have you found the course website yet ?

`http://cranch.staff.shef.ac.uk/mas114/`

It has

- ▶ the course notes;

Announcement 1: website

Have you found the course website yet ?

`http://cranch.staff.shef.ac.uk/mas114/`

It has

- ▶ the course notes;
- ▶ the course slides;

Announcement 1: website

Have you found the course website yet ?

`http://cranch.staff.shef.ac.uk/mas114/`

It has

- ▶ the course notes;
- ▶ the course slides;
- ▶ details of the online tests.

Announcement 2: online tests

Announcement 2: online tests

Speaking of those, the first online test will be available at 2pm today (immediately after this lecture).

Announcement 2: online tests

Speaking of those, the first online test will be available at 2pm today (immediately after this lecture).

It is due in at 2am next Monday morning

Announcement 2: online tests

Speaking of those, the first online test will be available at 2pm today (immediately after this lecture).

It is due in at 2am next Monday morning (or, if you like, very late Sunday night).

Announcement 2: online tests

Speaking of those, the first online test will be available at 2pm today (immediately after this lecture).

It is due in at 2am next Monday morning (or, if you like, very late Sunday night). These will be a weekly occurrence from now on.

Announcement 2: online tests

Speaking of those, the first online test will be available at 2pm today (immediately after this lecture).

It is due in at 2am next Monday morning (or, if you like, very late Sunday night). These will be a weekly occurrence from now on.

Please look at them before the weekend.

Announcement 2: online tests

Speaking of those, the first online test will be available at 2pm today (immediately after this lecture).

It is due in at 2am next Monday morning (or, if you like, very late Sunday night). These will be a weekly occurrence from now on.

Please look at them before the weekend.

There are instructions on the course website.

Announcement 2: online tests

Speaking of those, the first online test will be available at 2pm today (immediately after this lecture).

It is due in at 2am next Monday morning (or, if you like, very late Sunday night). These will be a weekly occurrence from now on.

Please look at them before the weekend.

There are instructions on the course website. Let me know if anything goes horribly wrong.

The natural numbers

The natural numbers

The natural numbers are all the numbers you might find by counting.

The natural numbers

The natural numbers are all the numbers you might find by counting.

The set of natural numbers is written \mathbb{N}

The natural numbers

The natural numbers are all the numbers you might find by counting.

The set of natural numbers is written \mathbb{N} (that's just a letter N, written in a style called “blackboard bold”);

The natural numbers

The natural numbers are all the numbers you might find by counting.

The set of natural numbers is written \mathbb{N} (that's just a letter N, written in a style called “blackboard bold”); in set notation, we might write

$$\mathbb{N} = \{0, 1, 2, 3, \dots\}.$$

More about the naturals

More about the naturals

That “...” is often pronounced “dot-dot-dot”, but it has the meaning of “and so on”.

More about the naturals

That “...” is often pronounced “dot-dot-dot”, but it has the meaning of “and so on”. When we use this symbol, we must be sure that the reader will be sure *how to go on* from here.

More about the naturals

That “...” is often pronounced “dot-dot-dot”, but it has the meaning of “and so on”. When we use this symbol, we must be sure that the reader will be sure *how to go on* from here. Here I hope it really is clear: we go on with 4, 5, 6, adding one each time as we go, and we are to go on without end.

More about the naturals

That “...” is often pronounced “dot-dot-dot”, but it has the meaning of “and so on”. When we use this symbol, we must be sure that the reader will be sure *how to go on* from here. Here I hope it really is clear: we go on with 4, 5, 6, adding one each time as we go, and we are to go on without end.

We'll see many more of those curly brackets later!

Even more about the natural numbers

Even more about the natural numbers

Actually, some mathematicians use the phrase “natural numbers” slightly differently, to denote the set

$$\{1, 2, 3, \dots\}.$$

In other words, they leave out 0.

Even more about the natural numbers

Actually, some mathematicians use the phrase “natural numbers” slightly differently, to denote the set

$$\{1, 2, 3, \dots\}.$$

In other words, they leave out 0.

Our convention in this module will be that $0 \in \mathbb{N}$: that zero is a natural number.

Even more about the natural numbers

Actually, some mathematicians use the phrase “natural numbers” slightly differently, to denote the set

$$\{1, 2, 3, \dots\}.$$

In other words, they leave out 0.

Our convention in this module will be that $0 \in \mathbb{N}$: that zero is a natural number.

If we're trying to work inside the natural numbers, we can add and multiply all we want, but subtraction and division are a pain: for example we can't do



Even more about the natural numbers

Actually, some mathematicians use the phrase “natural numbers” slightly differently, to denote the set

$$\{1, 2, 3, \dots\}.$$

In other words, they leave out 0.

Our convention in this module will be that $0 \in \mathbb{N}$: that zero is a natural number.

If we're trying to work inside the natural numbers, we can add and multiply all we want, but subtraction and division are a pain: for example we can't do



Working with a bigger system of numbers can cure this.

The integers

The integers

The *integers* are all the whole numbers, positive, negative and zero.

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”).

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

Here we have to go on in *both* directions without end.

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

Here we have to go on in *both* directions without end.
Every natural number is an integer.

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

Here we have to go on in *both* directions without end. Every natural number is an integer. This means that

$$\mathbb{N} \subset \mathbb{Z},$$

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

Here we have to go on in *both* directions without end. Every natural number is an integer. This means that

$$\mathbb{N} \subset \mathbb{Z},$$

or, in words, “the set of naturals is contained in the set of integers”.

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

Here we have to go on in *both* directions without end. Every natural number is an integer. This means that

$$\mathbb{N} \subset \mathbb{Z},$$

or, in words, “the set of naturals is contained in the set of integers”.

We often use the handy words *non-negative*, meaning “not negative” (in other words, positive or zero)

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

Here we have to go on in *both* directions without end. Every natural number is an integer. This means that

$$\mathbb{N} \subset \mathbb{Z},$$

or, in words, “the set of naturals is contained in the set of integers”.

We often use the handy words *non-negative*, meaning “not negative” (in other words, positive or zero) and *non-positive*, meaning “not positive” (in other words, negative or zero).

The integers

The *integers* are all the whole numbers, positive, negative and zero. The set of integers is denoted by \mathbb{Z} (why Z? The German word for “number” is “Zahl”). So we might write

$$\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}.$$

Here we have to go on in *both* directions without end. Every natural number is an integer. This means that

$$\mathbb{N} \subset \mathbb{Z},$$

or, in words, “the set of naturals is contained in the set of integers”.

We often use the handy words *non-negative*, meaning “not negative” (in other words, positive or zero) and *non-positive*, meaning “not positive” (in other words, negative or zero).

So the natural numbers are the same thing as the nonnegative integers.

The integers, continued

The integers, continued

If we're working in the integers, we can add, subtract and multiply all we want.

The integers, continued

If we're working in the integers, we can add, subtract and multiply all we want. Division is still a problem: for example, we can't do

?

The rational numbers

The rational numbers

The *rational numbers* (sometimes just called the *rationals*), are the numbers that can be written as fractions $\frac{a}{b}$, where a and b are integers and $b \neq 0$.

The rational numbers

The *rational numbers* (sometimes just called the *rationals*), are the numbers that can be written as fractions $\frac{a}{b}$, where a and b are integers and $b \neq 0$.

Fractions can be written in many different ways: for example, we have

$$\frac{1}{2} = \frac{2}{4} = \frac{5}{10} = \frac{-3}{-6}.$$

The rational numbers

The *rational numbers* (sometimes just called the *rationals*), are the numbers that can be written as fractions $\frac{a}{b}$, where a and b are integers and $b \neq 0$.

Fractions can be written in many different ways: for example, we have

$$\frac{1}{2} = \frac{2}{4} = \frac{5}{10} = \frac{-3}{-6}.$$

In general, fractions $\frac{a}{b} = \frac{c}{d}$ are equal if



The rational numbers

The *rational numbers* (sometimes just called the *rationals*), are the numbers that can be written as fractions $\frac{a}{b}$, where a and b are integers and $b \neq 0$.

Fractions can be written in many different ways: for example, we have

$$\frac{1}{2} = \frac{2}{4} = \frac{5}{10} = \frac{-3}{-6}.$$

In general, fractions $\frac{a}{b} = \frac{c}{d}$ are equal if



We write \mathbb{Q} for the set of rational numbers (\mathbb{Q} stands for “quotient”, which is a name for what you get when you do division).

The rational numbers

The *rational numbers* (sometimes just called the *rationals*), are the numbers that can be written as fractions $\frac{a}{b}$, where a and b are integers and $b \neq 0$.

Fractions can be written in many different ways: for example, we have

$$\frac{1}{2} = \frac{2}{4} = \frac{5}{10} = \frac{-3}{-6}.$$

In general, fractions $\frac{a}{b} = \frac{c}{d}$ are equal if



We write \mathbb{Q} for the set of rational numbers (\mathbb{Q} stands for “quotient”, which is a name for what you get when you do division).

Of course, any integer n can be regarded as a rational (we can take $\frac{n}{1}$), so

$$\mathbb{Z} \subset \mathbb{Q}.$$

The rational numbers, continued

The rational numbers, continued

If we're working in the rationals, we can add, subtract, multiply *and* divide all we want.

The rational numbers, continued

If we're working in the rationals, we can add, subtract, multiply *and* divide all we want. (Well, we can't divide by zero, but who wants to divide by zero?).

The rational numbers, continued

If we're working in the rationals, we can add, subtract, multiply *and* divide all we want. (Well, we can't divide by zero, but who wants to divide by zero?).

There are still many things we might want to do but can't do in the rationals though: square roots, logarithms, trigonometry, and suchlike.

The real numbers

The real numbers

The *real numbers* \mathbb{R} are perhaps the most general sort of numbers you'll have used by now (or perhaps not).

The real numbers

The *real numbers* \mathbb{R} are perhaps the most general sort of numbers you'll have used by now (or perhaps not). They contain lots of the numbers you care about, for example:

$$\pi \in \mathbb{R}, \quad \log 1729 \in \mathbb{R}, \quad \sqrt{5} \in \mathbb{R}, \quad \sin(37^\circ) \in \mathbb{R}.$$

The real numbers, continued

The real numbers, continued

One could define \mathbb{R} as the set of all possible decimal expansions, but there are problems with this:

The real numbers, continued

One could define \mathbb{R} as the set of all possible decimal expansions, but there are problems with this:

- ▶ It requires some adjustment, because

$$0.999999\dots = 1.000000\dots$$

The real numbers, continued

One could define \mathbb{R} as the set of all possible decimal expansions, but there are problems with this:

- ▶ It requires some adjustment, because

$$0.999999\dots = 1.000000\dots$$

- ▶ Proving things about decimal expansions — even simple things like arithmetic — is a big pain.

The real numbers, continued

One could define \mathbb{R} as the set of all possible decimal expansions, but there are problems with this:

- ▶ It requires some adjustment, because

$$0.999999\dots = 1.000000\dots$$

- ▶ Proving things about decimal expansions — even simple things like arithmetic — is a big pain.
- ▶ The idea of digits is, mathematically, an unnatural one. It is okay for the way we *write* mathematics to depend on the fact that we have ten fingers, but our *understanding* of fundamental mathematical constructions shouldn't depend on how many fingers we have.

The real numbers, continued

One could define \mathbb{R} as the set of all possible decimal expansions, but there are problems with this:

- ▶ It requires some adjustment, because

$$0.999999\dots = 1.000000\dots$$

- ▶ Proving things about decimal expansions — even simple things like arithmetic — is a big pain.
- ▶ The idea of digits is, mathematically, an unnatural one. It is okay for the way we *write* mathematics to depend on the fact that we have ten fingers, but our *understanding* of fundamental mathematical constructions shouldn't depend on how many fingers we have.

Producing a good and useful definition of \mathbb{R} is quite tricky, and there wasn't one until about 1870. We'll see one later in the course.

About sets

About sets

Now we have all these collections of numbers, it's good to have a language to discuss them with.

About sets

Now we have all these collections of numbers, it's good to have a language to discuss them with.

A *set* is a collection of objects. The objects in a set are often called its *elements*.

About sets

Now we have all these collections of numbers, it's good to have a language to discuss them with.

A *set* is a collection of objects. The objects in a set are often called its *elements*.

Given a set S , we write:

About sets

Now we have all these collections of numbers, it's good to have a language to discuss them with.

A *set* is a collection of objects. The objects in a set are often called its *elements*.

Given a set S , we write:

- ▶ $a \in S$ to mean “ a is in S ”.

About sets

Now we have all these collections of numbers, it's good to have a language to discuss them with.

A *set* is a collection of objects. The objects in a set are often called its *elements*.

Given a set S , we write:

- ▶ $a \in S$ to mean “ a is in S ”.
- ▶ $a \notin S$ to mean “ a is not in S ”.

About sets

Now we have all these collections of numbers, it's good to have a language to discuss them with.

A *set* is a collection of objects. The objects in a set are often called its *elements*.

Given a set S , we write:

- ▶ $a \in S$ to mean “ a is in S ”.
- ▶ $a \notin S$ to mean “ a is not in S ”.
- ▶ $|S|$ to denote the *size* of S : the number of elements in it. (Of course, some sets are infinite, but this works well for finite ones, at least.)

If we have a small set, it might be practical to define it by listing its elements; we do so in curly brackets. Here's an example set:

If we have a small set, it might be practical to define it by listing its elements; we do so in curly brackets. Here's an example set:

$$T = \{\text{Tinky Winky, Dipsy, Laa-Laa, Po}\}.$$

If we have a small set, it might be practical to define it by listing its elements; we do so in curly brackets. Here's an example set:

$$T = \{\text{Tinky Winky, Dipsy, Laa-Laa, Po}\}.$$

Let's write some examples of facts about T using our notation:



Note that sets don't have any ordering on them.

Note that sets don't have any ordering on them. If we find it more convenient to list Teletubbies according to alphabetic order, we can write

$$T = \{\text{Dipsy, Laa-Laa, Po, Tinky Winky}\},$$

and in doing so we are defining exactly the same set T .

Note that sets don't have any ordering on them. If we find it more convenient to list Teletubbies according to alphabetic order, we can write

$$T = \{\text{Dipsy, Laa-Laa, Po, Tinky Winky}\},$$

and in doing so we are defining exactly the same set T . Also note that an element is either in a set, or not in it.

Note that sets don't have any ordering on them. If we find it more convenient to list Teletubbies according to alphabetic order, we can write

$$T = \{\text{Dipsy, Laa-Laa, Po, Tinky Winky}\},$$

and in doing so we are defining exactly the same set T . Also note that an element is either in a set, or not in it. So we could, if we wanted, define exactly the same set again by writing

$$T = \{\text{Dipsy, Laa-Laa, Po, Po, Po, Po, Po, Tinky Winky, Dipsy}\}.$$

Note that sets don't have any ordering on them. If we find it more convenient to list Teletubbies according to alphabetic order, we can write

$$T = \{\text{Dipsy, Laa-Laa, Po, Tinky Winky}\},$$

and in doing so we are defining exactly the same set T . Also note that an element is either in a set, or not in it. So we could, if we wanted, define exactly the same set again by writing

$$T = \{\text{Dipsy, Laa-Laa, Po, Po, Po, Po, Po, Tinky Winky, Dipsy}\}.$$

However, there are few good reasons to write something like that.

The empty set

The empty set

The empty set, which could be written $\{\}$, is more commonly written \emptyset .

The empty set

The empty set, which could be written $\{\}$, is more commonly written \emptyset . It has size given by $|\emptyset| = 0$.

The empty set

The empty set, which could be written $\{\}$, is more commonly written \emptyset . It has size given by $|\emptyset| = 0$.

Note that \emptyset is very different to $\{\emptyset\}$.

The empty set

The empty set, which could be written $\{\}$, is more commonly written \emptyset . It has size given by $|\emptyset| = 0$.

Note that \emptyset is very different to $\{\emptyset\}$. The former, as I mentioned, has no elements; the latter has exactly one element.

The empty set

The empty set, which could be written $\{\}$, is more commonly written \emptyset . It has size given by $|\emptyset| = 0$.

Note that \emptyset is very different to $\{\emptyset\}$. The former, as I mentioned, has no elements; the latter has exactly one element.

That shouldn't confuse you. They're different for pretty much the same reason that “an empty bag” is not the same thing as “a bag which contains an empty bag and nothing else”.

Containment

Containment

If A and B are sets, we write $A \subset B$ to mean “if x is a member of A then x is also a member of B ”.

Containment

If A and B are sets, we write $A \subset B$ to mean “if x is a member of A then x is also a member of B ”. We say that A is a *subset* of B , or that A is *contained* in B .

Containment

If A and B are sets, we write $A \subset B$ to mean “if x is a member of A then x is also a member of B ”. We say that A is a *subset* of B , or that A is *contained* in B .

The symbols “ \in ” and “ \subset ” are different, and using the wrong one tends to result in nonsense.

Containment

If A and B are sets, we write $A \subset B$ to mean “if x is a member of A then x is also a member of B ”. We say that A is a *subset* of B , or that A is *contained* in B .

The symbols “ \in ” and “ \subset ” are different, and using the wrong one tends to result in nonsense.

For example, we might write

$$\text{Mathematicians} \subset \text{People},$$

which says “all mathematicians are people”.

Containment

If A and B are sets, we write $A \subset B$ to mean “if x is a member of A then x is also a member of B ”. We say that A is a *subset* of B , or that A is *contained* in B .

The symbols “ \in ” and “ \subset ” are different, and using the wrong one tends to result in nonsense.

For example, we might write

$$\text{Mathematicians} \subset \text{People},$$

which says “all mathematicians are people”. If we used the symbol “ \in ” instead, that would mean that “mathematicians is a person”.

Containment

If A and B are sets, we write $A \subset B$ to mean “if x is a member of A then x is also a member of B ”. We say that A is a *subset* of B , or that A is *contained* in B .

The symbols “ \in ” and “ \subset ” are different, and using the wrong one tends to result in nonsense.

For example, we might write

$$\text{Mathematicians} \subset \text{People},$$

which says “all mathematicians are people”. If we used the symbol “ \in ” instead, that would mean that “mathematicians is a person”. It’s not a mistake you’d make speaking English, and if you’re using symbols you should aim to be no less precise.

Containment

If A and B are sets, we write $A \subset B$ to mean “if x is a member of A then x is also a member of B ”. We say that A is a *subset* of B , or that A is *contained* in B .

The symbols “ \in ” and “ \subset ” are different, and using the wrong one tends to result in nonsense.

For example, we might write

Mathematicians \subset People,

which says “all mathematicians are people”. If we used the symbol “ \in ” instead, that would mean that “mathematicians is a person”. It’s not a mistake you’d make speaking English, and if you’re using symbols you should aim to be no less precise.

Notice that, for every set A we have

$$A \subset A \quad \text{and} \quad \emptyset \subset A.$$